

"Cognitive and Psychological Impacts of Excessive Smartphone Use: A Literature Review"

Research Scholar-Dr Anupama Panwar Guide By- Dr Manila Jain

Malwanchal University, Indore

Abstract:

The widespread use of smartphones has become a necessity in modern society, offering convenience through technological advancements. However, excessive dependence on smartphones has raised concerns about its potential negative effects on physical, psychological, and cognitive health. This paper reviews existing literature on the relationship between smartphone use and mental health, academic performance, and cognitive function. Studies indicate that excessive smartphone usage is linked to sleep deprivation, anxiety, stress, depression, and diminished cognitive abilities, including attention, memory, and executive functions. Research has also highlighted factors such as gender, preoccupation, and social networking as predictors of smartphone addiction, while using smartphones for educational purposes has been identified as a protective factor. The paper also examines the impact of smartphone addiction on social relationships, self-esteem, and emotional regulation, as well as the conflicting views on whether smartphone usage has a positive or negative effect on mental health. Finally, the paper proposes using cognitive assessments such as the Addenbrooke's Cognitive Examination (ACE-III) to evaluate the cognitive decline associated with smartphone use, particularly in areas such as attention, memory, verbal fluency, language, and visuospatial abilities. This study aims to explore the extent of cognitive decline caused by excessive smartphone usage and provide insights into mitigating its negative effects.

Keywords:

Smartphone Addiction, Mental Health, Cognitive Function, Anxiety and Depression, Academic Performance.

Introduction:

The use of smartphones is a necessity now instead of a choice. The innovation of phones and various software has made our lives more convenient. However, the negative effects of our excessive dependence on them cannot be ignored ⁽¹⁻²⁾. Around the world, smartphones were used by 1.85 billion people in 2014 which was expected to be 2.32 billion in 2017 and 2.87 billion in 2022. Mobile phones make our lives easier, but on the other hand, it ties us. Mobile addiction not only has physical effects but also psychological and academics effect at the same time. Sleep deficit, anxiety, stress, and depression which are all associated with internet abuse, have been related to mobile phone usage too⁽³⁾.

Many recent studies have explained the relationship between smartphones and cognitive functions and have argued that the dependence on smartphones may increase anxiety and negatively affect cognitive functions ⁽⁴⁻⁶⁾.

The main factors predicting excessive smartphone use were being female, preoccupation, conflict, and use for ubiquitous trait whereas the protective factor was use for learning ⁽⁴⁾. Excessive use of smartphones was correlated with impairment in the function of the family and relationship with friends, impulsiveness, and low self-esteem in South Korean adolescents⁽⁵⁾. Finally, smartphone gaming was associated with excessive smartphone use among adolescents⁽⁶⁾.

Excessive use of smartphone paired with negative attitude and feeling of anxiety and dependency on gadgets may increase the risk of anxiety and depression. A survey about Elon Students' behaviour along with an online survey found that students seemed to be addicted to their mobile phones⁽⁶⁾. Another observational study reports that insomnia may lead to depression. Li et al. (2016) did a prospective cohort and proposed that insomnia and risk of depression are associated. DeSola Gutiérrez et al. (2016) revealed that the problematic cell phone usage had been associated with sleep deficit, depression, anxiety, and stress. Cha and Seo (2018) aimed to examine the predictive factors of smartphone addiction in middle school students in South Korea. Two groups were chosen, one risk group and another normal group. The two groups expressed significantly different results. The predictive factors for smart phone addiction were social networking and awareness of game overuse. A researcher revealed that

teenagers who spend more hours on their gadgets are highly likely more at risk of suicide. Another study by Augner and Hacker (2012) examined an association between over usage or dysfunctional usage of cell phones and psychological health. They indicated that low emotional stability, chronic stress, and depression have a correlation with phone usage. According to latest studies, it is come to know that there are two schools of thoughts. Some researchers believe that there is a positive association between cell phone addiction and the mental health of adolescence and some believe that there is a negative or indirect relation in them.⁽⁵⁻⁷⁾

Some authors argue that smartphones should be used in university contexts as a teaching tool in order to optimize performance, employing an approach known as m-learning, mobile learning, or mobile-assisted learning, provided that students are taught to use them approximately⁽⁶⁾. Sanbonmatsu, Strayer, Medeiros-Ward, and Watson⁽⁷⁾ studied multitasking skills to assess motivation toward smartphone use in 310 students. They found that participants presenting higher levels of benefit- or reward-based motivation and weak avoidance behavior (with high levels of impulsivity and sensation-seeking) reported greater multitasking behavior. In addition, participants with less executive control (greater impulsivity) tended to present higher levels of multitasking behavior, preventing them from focusing on the target behavior. In a sample of 1,301 students at the University of Madrid.

Muñoz-Rivas, Fernández, and Gámez-Guadix⁸ observed that abusive internet use via various technologies including smartphones—correlated significantly with disruptive personality factors. Those who made most use of mobile devices presented greater loss of control, changes in health habits, and behaviour that was often conditioned by negative reinforces. Another study found that appropriate smartphone use correlated positively with self-esteem⁽⁹⁾ and increased perceived self-efficacy⁽¹⁰⁾, creativity⁽¹¹⁾, and motivation⁽¹²⁾. In addition, Choi, Song, and Oh⁽¹³⁾ observed that smartphone addiction correlated with low emotional intelligence (EI) and detected a negative correlation between the variable of tolerance–withdrawal and EI, whereby the lower the smartphone tolerance, the higher the EI, and vice versa.

Several previous studies observed that mobile phone use has potential to affect cognition. Thornton et al reported that mere presence of a cell phone results in diminished attention and

worsen task performance⁽⁷⁾. Poorer working memory was exhibited in studies by Cain et al and Uncapher et al in case of frequent media multitaskers.^(8,9) Lepp et al demonstrated negative correlation between smartphone usage and academic performance⁽¹⁰⁾. Furthermore, even brain imaging studies reported that associated cognitive deficit may be directly manifest in the functioning of the brain's corresponding control circuitry. Loh and Kanai found reduced grey matter in the anterior cingulate cortex of frequent media multitaskers, indicating that this habit may have a direct impact on the structural properties of an important locus of attentional control in the brain⁽¹¹⁾. Based on previously available literature, it can be surmised that various other domains of cognition could also be negatively affected with smartphone usage. However, there is limited literature available to show definite cognitive decline with respect to different domains of cognition and a global cognitive decline associated with smartphone usage. Therefore, this study looks forward to study levels of cognitive decline with smartphone usage.

Cognitive abilities can be assessed under 5 domains which includes Attention, Memory, Verbal fluency, Language, Visuospatial abilities. To assess cognitive function of any individual, cognitions tests are designed specifically. These tests involve the systematic administration of clearly defined procedures. They are also used for clinical and neurological research. This study aims to use Addenbrooke's Cognition Examination (ACE-III) as a tool to assess cognitive levels.

Methods:

Study design- observational study.

Data Extraction- the articles are searched from online free access journals focusing on cognitive and physiological impacts following excessive digital device usage.

Study setting- The present study was conducted in Department of Physiology, Pacific Medical College & Hospital, Udaipur after taking approval from Institutional Ethics Committee. A written informed consent was obtained from all participants. 100 subjects were recruited and categorised as per the duration of smart phone use. The Smartphone usage was determined by

self-reporting or scale PRIUSS. Addenbrooke's Cognition Examination (ACE-III) was administered for assessing cognition functioning of each participant.

Inclusion criteria-

- Age between 18-50 years
- Both male and female
- Minimum SSC pass
- Smartphone users

Exclusion criteria-

- Diagnosed cases of neurological or psychiatric disorders.
- Patients taking medications which are known to affect cognition.
- Presence of any medical psychiatric disorder.
- History of severe head injury.

Results:

	Minimum	Maximum	Mean	Std. Deviation
PRIUSS Scale score	5	59	26.31	10.668
DASS Scale score	2	36	16.90	9.134
Total ACE III Score	55	100	82.32	14.358
Attention	6	19	14.05	3.574
Memory	14	26	21.81	3.730
Fluency	7	14	11.71	2.138
Language	12	26	21.32	3.915

Visuospatial	9	16	13.43	1.955
--------------	---	----	-------	-------

Table 1: Mean characteristics of smartphone users (n = 100).





Figure 1: Mean characteristics of smartphone users.

Table 1 and figure 1 represents the mean characteristics of 100 smartphone users. The minimum PRIUSS scale score and DASS scale score were found to be 5 and 2 respectively, with maximum observed score of 59 and 36 respectively. Maximum observed score in Total ACE-III was found to be 100 which is also the maximum score that can be observed in standard ACE-III total score, with minimum observed score as 55. The maximum and minimum scores for each domain of cognition are also mentioned in the Table 1 and Figure 1. Table 1 also represent values for mean with standard deviation for each component.

Table 2: Correlation between PRIUSS scale and DASS scale and ACE III Score.

PRIUSS scale	R	p-value
DASS scale	0.753	0.001
ACE III Score	-0.697	0.001

r=Pearson's correlation, $p < 0.05$ Significant

Figure 2A: Scatterplots showing the correlation between PRIUSS scale and DASS scale.




Figure 2B: Scatterplots showing the correlation between PRIUSS scale and ACE III Score

Interpretation:

Based on the results, we can state the following:

PRIUSS scale and DASS scale have a statistically significant linear relationship ($r=0.753$, $p=0.001$).

The direction of the relationship is positive (i.e., PRIUSS scale and DASS scale are positively correlated), meaning that these variables tend to increase together.

PRIUSS scale and ACE III score have a statistically significant linear relationship ($r=-0.697$, $p=0.001$).

The direction of the relationship is negative (i.e., PRIUSS scale and ACE III score are negatively correlated), meaning that if PRIUSS scale increases ACE III score decreases.

Table 3: Correlation between PRIUSS scale and Attention, Memory, Fluency, Language and Visuospatial.

PRIUSS scale	R	p-value
Attention	-0.745	0.001
Memory	-0.657	0.001
Fluency	-0.606	0.001
Language	-0.635	0.001
Visuospatial	-0.566	0.001

r=Pearson's correlation, $p < 0.05$ Significant


Figure 3A: Scatterplots showing the correlation between PRIUSS scale and Attention.

Figure 3B: Scatterplots showing the correlation between PRIUSS scale and Memory.



Figure 3C: Scatterplots showing the correlation between PRIUSS scale and Fluency.




Figure 3D: Scatterplots showing the correlation between PRIUSS scale and Language.





Figure 3E: Scatterplots showing the correlation between PRIUSS scale and Visuospatial.



Interpretation:

Based on the results, we can state the following:

PRIUSS scale and Attention, Memory, Fluency, Language and Visuospatial have a statistically significant linear relationship ($p=0.001$).

The direction of the relationship is negative (i.e., PRIUSS scale and Attention, Memory, Fluency, Language and Visuospatial are negatively correlated), meaning that if PRIUSS scale increases and Attention, Memory, Fluency, Language and Visuospatial decreases.

Table 4: Model of multiple linear regression analysis of the variables of smartphone addiction (PRIUSS scale) and DASS scale.

DASS Scale ($r^2 = 0.566$)						
	B	95% CI		Beta	Std. Error	p-value
		Lower Bound	Upper Bound			
PRIUSS Scale	0.644	0.531	0.757	0.753	0.057	0.001

Interpretation: Problems caused by excessive smartphone use were significantly related to severity of loneliness ($p=0.001$).

Discussion:

The present study evaluated cognitive domain levels across 100 smart phone users and the change in cognitive domain levels was observed with the smartphone use. This study also assessed severity of loneliness perceived in each subject and then correlated with the use of smartphone use and levels of cognitive domains. The Smartphone usage was determined by the scale PRIUSS whereas DASS scale was used for the perceived loneliness in the subjects. Addenbrooke's Cognitive Examination (ACE-III) was administered for assessing cognitive domain levels of each subject.

The results revealed that the subjects with more smartphone use experienced greater decline in all the cognitive domain levels and also the overall cognitive decline reported as total ACE-III score. Our finding is in line with the study done by Tze Pin Ng et al.⁽¹⁵⁾ who found decline in global cognitive, attention and working memory, memory functioning with more frequent use of mobile phones. The study specifically evaluated cognitive function in attention and memory domain and found that there is a decline in both these with the use of smartphone. This finding follows studies by various researchers^(18,29,32,60,61) which examined the cognitive decline with the greater use of smartphone and found a significant association between them.

Majority of the previous researchers either used one or two domains of cognition whereas our study assessed major 5 domains of cognition with an overall global cognitive level. The present study is unique in the aspect that the decline in cognitive decline has been well assessed with the smartphone use with the major cognitive domains, which could be helpful in the prompt diagnosis of smartphone related cognitive problems that is encountered with its users.

Caplan et al.⁽⁵⁴⁾ in their study observed that lonely and socially isolated people feel a sense of relief when participating in the world of virtual reality. Loneliness in individuals make them prone to the use of mobile phones and other media. The study using DASS scale evaluated the level of loneliness in the subjects and found that the smartphone use and higher DASS score have a significantly linear relationship ($r=0.753, p = 0.001$). We also observed the direction of relationship is positive which implies that these tend to increase together. One study⁽⁵⁸⁾ by Morikawa et al

investigated the influence of social isolation and smartphone use on cognitive functions in adults and found that smartphone use was associated with cognitive functions (memory, attention, executive function, and processing speed).The current study also found decline in cognitive functions decline with the severity of loneliness in the subjects. Furthermore, we also assessed individual levels and reported decline in all the domains of cognition.

Conclusion:

The use of smartphones in our daily life is crucial but brings with it a variety of adverse effects too. One major adverse effect among them is a decline in our cognitive abilities. The use of smartphone has been increasing day by day for to help us in our work and family life, but with the increasing stress and loneliness, people are inclined more towards its use. This study was aimed at evaluating change in cognitive decline with the smartphone use and finding correlation between loneliness and smartphone use. This study reports there is decline in cognitive levels with smartphone use and it is correlated with the loneliness too.

References:

1. Meet the man who invented the mobile phone. 2010 Apr 23 [cited 2023 Mar 4]; Available from: http://news.bbc.co.uk/1/hi/programmes/click_online/8639590.stm
2. Smartphone subscriptions worldwide 2027 [Internet]. Statista. [cited 2023 Mar 4]. Available from: <https://www.statista.com/statistics/330695/number-of-smartphone-users-worldwide/>
3. Karmakar M. Viewing Patterns and Addiction to Television among Adults Who Self-Identify as Binge-Watchers. In APHA; 2015 [cited 2023 Mar 4]. Available from: <https://apha.confex.com/apha/143am/webprogram/Paper335049.html>
4. Geisel O, Lipinski A, Kaess M. Non-Substance Addiction in Childhood and Adolescence—The Internet, Computer Games and Social Media. Dtsch Arztebl Int. 2021 Jan 11;118(1–2):14–22.
5. Darvesh N, Radhakrishnan A, Lachance CC, Nincic V, Sharpe JP, Ghassemi M, et al. Exploring the prevalence of gaming disorder and Internet gaming disorder: a rapid scoping review. Syst Rev. 2020 Apr 2;9(1):68.
6. Kuss DJ, Pontes HM. Internet Addiction [Internet]. 1st ed. Hogrefe Publishing; 2018 [cited 2023 Mar 4]. Available from: <https://elibrary.hogrefe.com/book/10.1027/00501-000>
7. Is smartphone addiction really an addiction? in: Journal of Behavioral Addictions Volume 7 Issue 2 (2018) [Internet]. [cited 2023 Mar 4]. Available from: <https://akjournals.com/view/journals/2006/7/2/article-p252.xml>
8. Fabio RA, Ingrassia M, Massa M. Transient and Long-Term Improvements in Cognitive Processes following Video Games: An Italian Cross-Sectional Study. International Journal of Environmental Research and Public Health. 2022 Jan;19(1):78.

9. [Caprì T, Gugliandolo MC, Iannizzotto G, Nucita A, Fabio RA. The influence of media usage on family functioning. Curr Psychol. 2021 Jun 1;40\(6\):2644–53.](#)
10. [Fabio RA, Suriano R. The Influence of Media Exposure on Anxiety and Working Memory during Lockdown Period in Italy. International Journal of Environmental Research and Public Health. 2021 Jan;18\(17\):9279.](#)
11. [Rosell MC, Sánchez-Carbonell X, Jordana CG. EL ADOLESCENTE ANTE LAS TECNOLOGÍAS DE LA INFORMACIÓN Y LA COMUNICACIÓN: INTERNET, MÓVIL Y VIDEOJUEGOS.](#)
12. [Chóliz M, Villanueva V. Ellas, ellos y su móvil: Uso, abuso \(¿y dependencia?\) del teléfono móvil en la adolescencia. 2009;](#)
13. [Zavala RR. Posibles efectos provenientes del uso excesivo de la comunicación inalámbrica / Possible effects of the excessive use of wireless communication. RICS Revista Iberoamericana de las Ciencias de la Salud. 2013;2\(4\):24–57.](#)
14. [Young DKS, Rodgers RC. Internet Addiction: Personality Traits Associated with Its Development.](#)
15. [Ng TP, Lim ML, Niti M, Collinson S. Long-term digital mobile phone use and cognitive decline in the elderly. Bioelectromagnetics. 2012 Feb;33\(2\):176–85.](#)
16. [Wilmer HH, Sherman LE, Chein JM. Smartphones and Cognition: A Review of Research Exploring the Links between Mobile Technology Habits and Cognitive Functioning. Front Psychol. 2017 Apr 25;8:605.](#)
17. [Hadar A, Hadas I, Lazarovits A, Alyagon U, Eliraz D, Zangen A. Answering the missed call: Initial exploration of cognitive and electrophysiological changes associated with smartphone use and abuse. Weinstein AM, editor. PLoS ONE. 2017 Jul 5;12\(7\):e0180094.](#)
18. [Abramson MJ, Benke GP, Dimitriadis C, Inyang IO, Sim MR, Wolfe RS, et al. Mobile telephone use is associated with changes in cognitive function in young adolescents. Bioelectromagnetics. 2009 Dec;30\(8\):678–86.](#)

19. [Alloway TP, Alloway RG. The impact of engagement with social networking sites \(SNSs\) on cognitive skills. Computers in Human Behavior. 2012 Sep;28\(5\):1748–54.](#)
20. [Moisala M, Salmela V, Hietajärvi L, Salo E, Carlson S, Salonen O, et al. Media multitasking is associated with distractibility and increased prefrontal activity in adolescents and young adults. NeuroImage. 2016 Jul;134:113–21.](#)
21. [Ophir E, Nass C, Wagner AD. Cognitive control in media multitaskers. Proc Natl Acad Sci USA. 2009 Sep 15;106\(37\):15583–7.](#)
22. [Sanbonmatsu DM, Strayer DL, Medeiros-Ward N, Watson JM. Who Multi-Tasks and Why? Multi-Tasking Ability, Perceived Multi-Tasking Ability, Impulsivity, and Sensation Seeking. Chambers C, editor. PLoS ONE. 2013 Jan 23;8\(1\):e54402.](#)
23. [Uncapher MR, K. Thieu M, Wagner AD. Media multitasking and memory: Differences in working memory and long-term memory. Psychon Bull Rev. 2016 Apr;23\(2\):483–90.](#)
24. [Stothart C, Mitchum A, Yehnert C. The attentional cost of receiving a cell phone notification. Journal of Experimental Psychology: Human Perception and Performance. 2015 Aug;41\(4\):893–7.](#)
25. [Thornton B, Faires A, Robbins M, Rollins E. The Mere Presence of a Cell Phone May be Distracting. Social Psychology. 2014 Nov;45\(6\):479–88.](#)
26. [Ward AF, Duke K, Gneezy A, Bos MW. Brain Drain: The Mere Presence of One’s Own Smartphone Reduces Available Cognitive Capacity. Journal of the Association for Consumer Research. 2017 Apr;2\(2\):140–54.](#)
27. [Alzahabi R, Becker MW. The association between media multitasking, task-switching, and dual-task performance. Journal of Experimental Psychology: Human Perception and Performance. 2013 Oct;39\(5\):1485–95.](#)
28. [Lui KFH, Wong ACN. Does media multitasking always hurt? A positive correlation between multitasking and multisensory integration. Psychon Bull Rev. 2012 Aug;19\(4\):647–53.](#)

29. [Ralph BCW, Thomson DR, Seli P, Carriere JSA, Smilek D. Media multitasking and behavioral measures of sustained attention. *Atten Percept Psychophys.* 2015 Feb;77\(2\):390–401.](#)
30. [Cain MS, Leonard JA, Gabrieli JDE, Finn AS. Media multitasking in adolescence. *Psychon Bull Rev.* 2016 Dec;23\(6\):1932–41.](#)
31. [Frein ST, Jones SL, Gerow JE. When it comes to Facebook there may be more to bad memory than just multitasking. *Computers in Human Behavior.* 2013 Nov;29\(6\):2179–82.](#)
32. [Lim J. The Effect of Adult Smartphone Addiction on Memory Impairment: Focusing on the Mediating effect of Executive Function Deficiencies. *Journal of Digital Convergence.* 2018;16\(7\):299–308.](#)
33. [Abramson MJ, Benke GP, Dimitriadis C, Inyang IO, Sim MR, Wolfe RS, et al. Mobile telephone use is associated with changes in cognitive function in young adolescents. *Bioelectromagnetics.* 2009 Dec;30\(8\):678–86.](#)
34. [Barr N, Pennycook G, Stolz JA, Fugelsang JA. The brain in your pocket: Evidence that Smartphones are used to supplant thinking. *Computers in Human Behavior.* 2015 Jul;48:473–80.](#)
35. [Lepp A, Barkley JE, Karpinski AC. The relationship between cell phone use, academic performance, anxiety, and Satisfaction with Life in college students. *Computers in Human Behavior.* 2014 Feb;31:343–50.](#)
36. [Wilmer HH, Hampton WH, Olino TM, Olson IR, Chein JM. Wired to be connected? Links between mobile technology engagement, intertemporal preference and frontostriatal white matter connectivity. *Soc Cogn Affect Neurosci.* 2019 May 17;14\(4\):367–79.](#)
37. [van Schouwenburg M, Aarts E, Cools R. Dopaminergic Modulation of Cognitive Control: Distinct Roles for the Prefrontal Cortex and the Basal Ganglia. *CPD.* 2010 Jun 1;16\(18\):2026–32.](#)
38. [Loh KK, Kanai R. Higher Media Multi-Tasking Activity Is Associated with Smaller Gray-Matter Density in the Anterior Cingulate Cortex. Watanabe K, editor. *PLoS ONE.* 2014 Sep 24;9\(9\):e106698.](#)

39. [Hyland G. Physics and biology of mobile telephony. The Lancet. 2000 Nov;356\(9244\):1833–6.](#)
40. [Leeuwen GMJV, Lagendijk JJW, Leersum BJAMV, Zwamborn APM, Hornsleth SN, Kotte ANTJ. Calculation of change in brain temperatures due to exposure to a mobile phone. Phys Med Biol. 1999 Oct 1;44\(10\):2367–79.](#)
41. [Effects of Radio-Frequency Radiation on Mammalian Cells and Biomolecules In Vitro - Advances in Chemistry \(ACS Publications\) \[Internet\]. \[cited 2023 Mar 10\]. Available from:
https://pubs.acs.org/doi/pdf/10.1021/ba-1995-0250.ch026](#)
42. [Adey WR. Tissue interactions with nonionizing electromagnetic fields. Physiological Reviews. 1981 Apr;61\(2\):435–514.](#)
43. [Tattersall JEH, Scott IR, Wood SJ, Nettell JJ, Bevir MK, Wang Z, et al. Effects of low intensity radiofrequency electromagnetic fields on electrical activity in rat hippocampal slices. Brain Research. 2001 Jun;904\(1\):43–53.](#)
44. [Ferreri F, Curcio G, Pasqualetti P, De Gennaro L, Fini R, Rossini PM. Mobile phone emissions and human brain excitability. Ann Neurol. 2006 Aug;60\(2\):188–96.](#)
45. [Leszczynski D, Joenväärä S, Reivinen J, Kuokka R. Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: Molecular mechanism for cancer- and blood-brain barrier-related effects. Differentiation. 2002 May;70\(2–3\):120–9.](#)
46. [Nylund R, Leszczynski D. Proteomics analysis of human endothelial cell line EA.hy926 after exposure to GSM 900 radiation. Proteomics. 2004 May;4\(5\):1359–65.](#)
47. [Harvey PD. Domains of cognition and their assessment. Dialogues Clin Neurosci. 2019;21\(3\):227–37.](#)
48. [American Psychiatric Association, American Psychiatric Association, editors. Diagnostic and statistical manual of mental disorders: DSM-5. 5th ed. Washington, D.C: American Psychiatric Association; 2013. 947 p.](#)

49. [Brodski J, Rossell SL, Castle DJ, Tan EJ. A Systematic Review of Cognitive Impairments Associated With Kidney Failure in Adults Before Natural Age-Related Changes. Journal of the International Neuropsychological Society. 2019 Jan;25\(1\):101–14.](#)
50. [de Jong-Gierveld J. Developing and testing a model of loneliness. Journal of Personality and Social Psychology. 1987;53\(1\):119–28.](#)
51. [Loneliness \[Internet\]. MIT Press. \[cited 2023 Mar 10\]. Available from:
https://mitpress.mit.edu/9780262730419/loneliness/](#)
52. [Beutel ME, Klein EM, Brähler E, Reiner I, Jünger C, Michal M, et al. Loneliness in the general population: prevalence, determinants and relations to mental health. BMC Psychiatry. 2017 Dec;17\(1\):97.](#)
53. [Peplau, L. A., & Perlman, D. \(1982\). Perspectives on loneliness. In L. A. Peplau and D. Perlman \(Eds.\), Loneliness A sourcebook of current theory, research and therapy \(pp. 1-18\). New York John Wiley & Sons. - References - Scientific Research Publishing \[Internet\]. \[cited 2023Mar 10\]. Available from:
https://www.scirp.org/\(S\(351jmbntvnsjt1aadkposzje\)\)/reference/ReferencesPapers.aspx?ReferenceID=167889](#)
54. [Caplan S, Williams D, Yee N. Problematic Internet use and psychosocial well-being among MMO players. Computers in Human Behavior. 2009 Nov;25\(6\):1312–9.](#)
55. [Ceyhan AA, Ceyhan E. Loneliness, Depression, and Computer Self-Efficacy as Predictors of Problematic Internet Use. CyberPsychology & Behavior. 2008 Dec;11\(6\):699–701.](#)
56. [Bozoglan B, Demirer V, Sahin I. Loneliness, self-esteem, and life satisfaction as predictors of Internet addiction: A cross-sectional study among Turkish university students. Scand J Psychol. 2013 Aug;54\(4\):313–9.](#)
57. [Lemmens JS, Valkenburg PM, Peter J. Development and Validation of a Game Addiction Scale for Adolescents. Media Psychology. 2009 Feb 26;12\(1\):77–95.](#)

58. [Morikawa M, Lee S, Makino K, Bae S, Chiba I, Harada K, et al. Association of social isolation and smartphone use on cognitive functions. Archives of Gerontology and Geriatrics. 2022 Jul;101:104706.](#)

59. [Li J, Zhan D, Zhou Y, Gao X. Loneliness and problematic mobile phone use among adolescents during the COVID-19 pandemic: The roles of escape motivation and self-control. Addictive Behaviors. 2021 Jul 1;118:106857.](#)